

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1-49. (Canceled)

50. (Currently Amended) A method for screening a telephony call made by a calling party to a called party, the method comprising:

receiving, over a telephone network, a telephony call from the calling party at a messaging service platform;

receiving an audio message generated by the calling party as a first stream of audio data;

establishing a connection with an online audio server;

sending the first stream of audio data to the online audio server over the established connection;

leveraging an internal resource identifier to enable identification of the first stream of audio data at the online audio server;

relating the internal resource identifier to an external resource identifier;

sending the external resource identifier to a client system;

enabling the client system to establish a connection with the online audio server;

receiving an indication of the external resource identifier from the client;

using the received indication of the external resource identifier and its relationship to the internal resource identifier to enable identification of the first stream of audio data; and

sending the first stream of audio data to the client system over the connection established between the client system and the online audio server.

51. (Previously Presented) The method of claim 50, wherein sending the first stream of audio data to the client system occurs before receipt of the complete audio message at the messaging service platform.

52. (Previously Presented) The method of claim 50, wherein sending the first stream of audio data to the client system occurs before the call originated by the calling party terminates.

53. (Previously Presented) The method of claim 50, wherein at least one of the internal resource identifier and the external resource identifier is a universal resource locator.

54. (Previously Presented) The method of claim 50, wherein the external resource identifier is a universal resource locator and enabling the client to establish a connection with the online audio server comprises enabling the client to establish a connection with the online audio server by using the universal resource locator.

55. (Previously Presented) The method of claim 50, wherein relating the internal resource identifier to the external resource identifier comprises relating the internal resource identifier to the external resource identifier at the online audio server.

56. (Previously Presented) The method of claim 50, wherein relating the internal resource identifier to the external resource identifier comprises relating the internal resource identifier to the external resource identifier at an interactive voice response system from which audio data is sent.

57. (Previously Presented) The method of claim 50, wherein relating the internal resource identifier to the external resource identifier comprises relating the resource identifiers in accordance with a relationship defined by an interactive voice response system.

58. (Previously Presented) The method of claim 50, further comprising copying the first stream of audio data substantially simultaneously to the receiving of the audio message to generate a second stream of audio data.

59. (Previously Presented) The method of claim 58, further comprising storing the second stream of audio data in a message store substantially simultaneously to the receiving of the audio message.

60. (Previously Presented) The method of claim 50, wherein receiving an audio message from the calling party comprises recording the audio message at an interactive voice response system that receives the call.

61. (Previously Presented) The method of claim 60, further comprising generating an internal resource identifier and an external resource identifier at an interactive voice response system that receives the call.

62. (Previously Presented) The method of claim 50, wherein the internal and external resource identifiers are generated in response to receipt of the call.

63. (Previously Presented) The method of claim 50, wherein establishing a connection with an online audio server comprises:

sending the internal resource identifier from the interactive voice response system to a media gateway; and

using the internal resource identifier to establish a connection between the media gateway and the online audio server.

64. (Previously Presented) The method of claim 63, wherein sending the first stream of audio data comprises:

sending the first stream of audio data from the interactive voice response system to the media gateway; and

sending the first stream of audio data from the media gateway to the online audio server over the connection established between the media gateway and the online audio server.

65. (Previously Presented) The method of claim 64, further comprising copying, at the media gateway, the first stream of audio data substantially simultaneously to the receiving of the audio message to generate a second stream of audio data.

66. (Previously Presented) The method of claim 65, further comprising the media gateway storing the second stream of audio data in a message store substantially simultaneously to the receiving of the audio message.

67. (Previously Presented) The method of claim 50 further comprising transcoding the audio data using an audio compression scheme prior to sending the first stream of transcoded audio data from the online audio server to the client system.

68. (Previously Presented) The method of claim 50, further comprising enabling the called party at the client system to react to a perceptible form of the first stream of audio data.

69. (Previously Presented) The method of claim 68, wherein enabling the called party to react includes enabling presentation of a visual call screening graphical user interface message commensurate with the sending of the first stream of audio data.

70. (Previously Presented) The method of claim 69 wherein the call screening message includes options that may be selected by the called party to react to the telephony call.

71. (Previously Presented) The method of claim 70 wherein the options include sending an outbound audio message to be perceived by the calling party.

72. (Previously Presented) The method of claim 70 wherein the options include sending the call to a call destination.

73. (Previously Presented) The method of claim 72 wherein the call destination is a direct number of a phone of the called party.

74. (Previously Presented) The method of claim 72 wherein the call destination is a direct number that is not a direct number of a phone of the called party.

75. (Previously Presented) The method of claim 70 wherein enabling the called party to react to the call includes:

determining the online status of an online identity associated with the called party; and  
sending the call screening message to the client system of the called party conditioned upon whether the called party is online approximately when the call is received at the messaging service platform.

76. (Previously Presented) The method of claim 70 wherein enabling the called party to react includes enabling removal of the call screening graphical representation message upon detection that the audio message recording is complete.

77. (Previously Presented) The method of claim 70 wherein enabling the called party to react includes enabling the options to be selected only while the audio message is being received by the messaging service platform.

78. (Previously Presented) The method of claim 70 further comprising receiving an option selection from the client system of the called party.

79. (Previously Presented) The method of claim 78 further comprising handling the call in accordance with the received option selection.

80. (Previously Presented) The method of claim 79 wherein handling the telephony call includes sending an outbound audio message to be perceived by the calling party.

81. (Previously Presented) The method of claim 79 wherein handling the telephony call includes sending the telephony call to a predetermined call destination.

82. (Currently Amended) A computer system for screening a telephony call made by a calling party to a called party, the computer system configured to:

- receive, over a telephone network, a telephony call from the calling party at a messaging service platform;

- receive an audio message generated by the calling party as a first stream of audio data;

- establish a connection with an online audio server;

- send the first stream of audio data to the online audio server over the established connection;

- leverage an internal resource identifier to enable identification of the first stream of audio data at the online audio server;

- relate the internal resource identifier to an external resource identifier;

- send the external resource identifier to a client system;

enable the client system to establish a connection with the online audio server;  
receive an indication of the external resource identifier from the client;  
use the received indication of the external resource identifier and its relationship to the  
internal resource identifier to enable identification of the first stream of audio data; and  
send the first stream of audio data to the client system over the connection established  
between the client system and the online audio server.

83. (Currently Amended) An apparatus for screening a telephony call made by a  
calling party to a called party, the apparatus comprising:  
means for receiving, over a telephone network, a telephony call from the calling party at  
a messaging service platform;  
means for receiving an audio message generated by the calling party as a first stream of  
audio data;  
means for establishing a connection with an online audio server;  
means for sending the first stream of audio data to the online audio server over the  
established connection;  
means for leveraging an internal resource identifier to enable identification of the first  
stream of audio data at the online audio server;  
means for relating the internal resource identifier to an external resource identifier;  
means for sending the external resource identifier to a client system;  
means for enabling the client system to establish a connection with the online audio  
server;  
means for receiving an indication of the external resource identifier from the client;  
means for using the received indication of the external resource identifier and its  
relationship to the internal resource identifier to enable identification of the first stream of audio  
data; and  
means for sending the first stream of audio data to the client system over the connection  
established between the client system and the online audio server.

84. (Previously Presented) A method for screening a telephony call made by a calling party to a called party, the method comprising:

receiving, from a messaging service platform, an external resource identifier generated in response to receipt of a call at the messaging service platform;

establishing a connection with an online audio server;

communicating the external resource identifier to the online audio server;

receiving a first stream of audio data over the established online audio server connection in response to communication of the external resource identifier;

enabling perception of an audio message generated by the calling party by converting the first stream of audio data into audio,

wherein the called party is made able to begin to perceive the audio message while the audio message is being deposited as a voicemail at the messaging service platform.

85. (Previously Presented) The method of claim 84, wherein the called party is made able to begin to perceive the audio message before the deposit of the voicemail at the messaging service platform is completed.

86. (Previously Presented) The method of claim 84, wherein the called party is made able to begin to perceive the audio message before the call originated by the calling party terminates.

87. (Previously Presented) The method of claim 84, wherein the external resource identifier is a universal resource locator.

88. (Previously Presented) The method of claim 84, further comprising enabling the called party to react to a perceptible form of the first stream of audio data.



89. (Previously Presented) The method of claim 88, wherein enabling the called party to react includes enabling presentation of a visual call screening graphical user interface message commensurate with the sending of the first stream of audio data.

90. (Previously Presented) The method of claim 89 wherein the call screening message includes options that may be selected by the called party to react to the telephony call.

91. (Previously Presented) The method of claim 90 wherein the options include sending an outbound audio message to be perceived by the calling party.

92. (Previously Presented) The method of claim 90 wherein the options include sending the call to a call destination.

93. (Previously Presented) The method of claim 92 wherein the call destination is a direct number of a phone of the called party.

94. (Previously Presented) The method of claim 92 wherein the call destination is a direct number that is not a direct number of a phone of the called party.

95. (Previously Presented) The method of claim 90 wherein enabling the called party to react to the call includes enabling the options to be selected only while the audio message is being received at the messaging service platform.

96. (Previously Presented) The method of claim 90 wherein enabling the called party to react to the call includes sending an option selection to the messaging service platform.

97. (Previously Presented) The method of claim 89 wherein enabling the called party to react to the call includes enabling removal of a display corresponding to the call screening message when the audio message completes.

98. (Previously Presented) A computer system for screening a telephony call made by a calling party to a called party, the computer system configured to:

- receive, from a messaging service platform, an external resource identifier generated in response to receipt of a call at the messaging service platform;

- establish a connection with an online audio server;

- communicate the external resource identifier to the online audio server;

- receive a first stream of audio data over the established online audio server connection in response to communication of the external resource identifier;

- enable perception of an audio message generated by the calling party by converting the first stream of audio data into audio,

- wherein the called party is made able to begin to perceive the audio message while the audio message is being deposited as a voicemail at the messaging service platform.

99. (Previously Presented) An apparatus for screening a telephony call made by a calling party to a called party, the apparatus comprising:

- means for receiving, from a messaging service platform, an external resource identifier generated in response to receipt of a call at the messaging service platform;

- means for establishing a connection with an online audio server;

- means for communicating the external resource identifier to the online audio server;

- means for receiving a first stream of audio data over the established online audio server connection in response to communication of the external resource identifier;

- means for enabling perception of an audio message generated by the calling party by converting the first stream of audio data into audio,

Applicant : Bradford Lawrence Spencer, and David  
Webster Trueman  
Serial No. : 10/674,821  
Filed : October 1, 2003  
Page : 12 of 15

Attorney's Docket No.: 06975-429001 / AF 013 - Call  
Screening for Internet Cal

wherein the called party is made able to begin to perceive the audio message while the audio message is being deposited as a voicemail at the messaging service platform.